

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
17 November 2005 (17.11.2005)

PCT

(10) International Publication Number
WO 2005/107913 A1

(51) International Patent Classification⁷: **A63F 13/12**

(21) International Application Number:
PCT/AU2005/000668

(22) International Filing Date: 10 May 2005 (10.05.2005)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
2004902460 10 May 2004 (10.05.2004) AU

(71) Applicant (for all designated States except US): **PAL-TRONICS AUSTRALASIA PTY LIMITED** [AU/AU];
Units 4, 12-14 Mangrove Lane, Taren Point, NSW 2229 (AU).

(72) Inventors; and

(75) Inventors/Applicants (for US only): **WRIGHT, Dean** [AU/AU]; Paltronics Australasia Pty Limited, Unit 4,

12-14 Mangrove Lane, Taren Point, NSW 2229 (AU).
COWAN, Stephen [AU/AU]; Paltronics Australasia Pty Limited, Unit 4, 12-14 Mangrove Lane, Taren Point, NSW 2229 (AU).


(74) Agent: **SHELSTON IP**; 60 Margaret Street, Sydney, NSW 2000 (AU).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH,

[Continued on next page]

(54) Title: A METHOD OR APPARATUS FOR ALLOCATING A PLAYER'S CONTRIBUTION IN A GAMING APPARATUS BETWEEN A PLURALITY OF GAMES



(57) Abstract: A method and apparatus for allocating a player's contribution in a gaming apparatus between a plurality of games is disclosed. The plurality of games includes a first game, provided by a gaming machine, and a second game, provided by a second game controller. The method includes the steps of receiving (401) a contribution from a player of the gaming apparatus; selecting (405) an allocation ratio in response to an input by the player; splitting (407) the contribution into a number of parts in accordance with the selected ratio; and allocating (411) at least one of the parts of the contribution to one of the games.

WO 2005/107913 A1



GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declaration under Rule 4.17:

— *of inventorship (Rule 4.17(iv)) for US only*

Published:

— *with international search report*

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

- 1 -

TITLE: A METHOD OR APPARATUS FOR ALLOCATING A PLAYER'S CONTRIBUTION IN A GAMING APPARATUS BETWEEN A PLURALITY OF GAMES

FIELD OF THE INVENTION

5 The present invention relates to an apparatus and method for allocating a player's contribution in a gaming apparatus between a plurality of games.

 The invention has been developed primarily for use with a plurality of interlinked gaming terminals in one or more gaming establishments and will be described hereinafter predominantly with reference to this application. However, the
10 invention is not limited to that particular field of use and is also suitable for use with online gaming, lotto, pools, lotteries, art unions, bingo, raffles and other games involving one or more wagers being placed upon an outcome having a finite probability of occurring. Additionally, the invention is applicable to any type of gaming, such as gaming that may be entered into on a personal computer via the
15 Internet, for example.

BACKGROUND

 The discussion of the prior art within this specification is to assist the addressee understand the invention and is not an admission of the extent of the common general knowledge in the field of the invention and is included without
20 prejudice.

 It is known to "link" gaming terminals to provide a number of additional functionalities. This includes the ability to control the awarding of a prize, as the pool of available funds is greater and the amount of funds available is known rather than having to be estimated. Another functionality of interlinked gaming terminals is that
25 secondary gaming is possible. For example, for a given group of interlinked gaming terminals, a central display provides the gamers with a visual indication of a presently available jackpot prize that is being incrementally increased as the gamers operate the interlinked gaming terminals.

 It is known by the gamers that the prize will be awarded when it is
30 incremented to a randomly selected value that is less than a predefined value. Typically, the predefined value will also be visually indicated to the gamers by the

- 2 -

display. The use of such functionality is intended to provide additional impetus to the gamers to play the terminals and thereby win the jackpot prize in addition to any prize available to be awarded by the respective terminal.

It is known in gaming systems to specify the proportion of what a player inputs to a game that is returned to that player. This measure is referred to as the Return to Player (RTP) amount which is usually expressed as a percentage of the player input (RTP%). The RTP% can be described as the proportion of the value input by a player that contributes to the prizes paid out by the machine. The actual value of the RTP% is determined by the attributes of the gaming device itself i.e. the likelihood of a winning combination accruing within a specified time period. Where the gaming device is a so called a "pokie" or "fruit" machine, the RTP% is determined by the probability of the winning combinations of symbols occurring on the reels over a given time. The RTP% is calculated with reference to the number of unique sequences of symbols that the machine is capable of generating.

In known gaming systems, the RTP% is controlled by the manufacturer, operator or venue controller prior to gaming devices being available for play. The RTP% may be displayed to the players as required in some jurisdictions. The RTP% may be varied where gaming systems are provided with the functionality to enable the selection of the RTP%. In some cases this may be from a predetermined set of RTP% values (also known as variations). The manufacturer of the gaming system commonly determines such variations.

As noted above, gaming machines may be linked to other such machines to provide secondary gaming facilities such as a communal jackpot, i.e. a jackpot that can be won by playing any one of an associated group of machines. The communal jackpot is available over and above the possible prizes from the base game being played on each individual machine. In this situation, the RTP% is split between the first, base game and the second, communal game. The manufacturers of the gaming system traditionally determine the proportion of the split.

One problem with the prior art arrangement is that it is difficult from the controller's point of view to understand which of the split configurations is preferred by the players and in what circumstances. This makes the choice of how and when to provide configurations difficult.

SUMMARY OF THE INVENTION

It is an object of the present invention to overcome or ameliorate at least one of the disadvantages of the prior art, or to provide a useful alternative.

According to a first aspect of the present invention there is provided a method
5 for allocating a player's contribution in a gaming apparatus between a plurality of games, the method comprising the steps of:

- a) receiving a contribution from a player of the gaming apparatus;
- b) selecting an allocation ratio in response to an input by the player;
- c) splitting the contribution into a number of parts in accordance with the
10 selected ratio; and
- d) allocating at least one of the parts of the contribution to one of the games.

In a preferred embodiment, in step c) the contribution is split into two parts and each part is allocated to a respective game in step d). In some embodiments each game is provided by a respective gaming device. Alternatively, each game is
15 provided by the same gaming device. Other embodiments, include the step of selecting from the plurality of games in response to an input from the player, the or each game to which the contribution is allocated.

In an alternative embodiment, the allocation ratio is selected from a set of predetermined ratios. Preferably, the set of ratios comprises a full range of possible
20 ratios or alternatively the set of ratios is selected from group of such sets.

In a further alternative, the set of predetermined ratios from which the player makes a selection is varied in response to one or more predetermined conditions such as the time of day, the current state of play of a given game, or the current gaming activity within a particular gaming environment. In yet a further alternative, the set of
25 predetermined ratios are varied in a random or pseudo random manner.

According to a second aspect of the present invention there is provided apparatus for allocating a player's contribution in a gaming apparatus between a plurality of games, the apparatus comprising:

- a) input means for receiving a contribution from a player of the gaming
30 apparatus;
- b) selection means operable by the player to select an allocation ratio;

- 4 -

- c) splitting means for splitting the contribution into a number of parts in accordance with the selected ratio; and
- d) allocating means for allocating at least one of the parts of the contribution to one of the games.

5 According to a third aspect of the present invention there is provided apparatus for enabling a player of a gaming machine to control the distribution of the player's contribution to a game, the apparatus comprising:

 a display operable to indicate a plurality of possible distributions to the player;
 at least one control means operable by the player to indicate a choice of one of
10 the distributions;
 communication means for communicating the player's choice to the gaming machine.

 In some embodiments the control means is provided by a dial, push buttons or a slider control. Preferably the control means is operable to select the distribution and
15 to start the respective game. More preferably the control means is operable by the player to hold the selected distribution for a given game for use in a subsequent game or games. The control means may operable to prompt the player to select a distribution for each game played.

 Unless the context clearly requires otherwise, throughout the specification the
20 words "comprise", "comprising" and the like are to be construed in an inclusive as opposed to an exclusive sense; that is to say, in the sense of "included, but not limited to".

BRIEF DESCRIPTION OF THE DRAWINGS

 Preferred embodiments of the invention will now be described, by way of
25 example only, with reference to the accompanying drawings in which:

 Figure 1 is a schematic representation of a gaming system comprising gaming terminals;

 Figure 2 is a schematic representation of a control panel associated with one of the gaming terminals of Figure 1;

30 Figure 3 is a schematic representation of the hardware associated with each of the gaming system of Figure 1; and

 Figure 4 is a flow chart showing steps performed by the gaming machines of

Figure 1.

DETAILED DESCRIPTION

In broad overview, apparatus for allocating a player's contribution in a gaming apparatus between a plurality of games is shown schematically in Figure 3. The apparatus includes input means, in the form of a revenue input device 303 such as a coin slot, note validator, smart card reader or the like, for receiving a contribution from a player of the gaming device. Selection means in the form of split control 203 are operable by the player to select an allocation ratio. Splitting means, for example appropriate software routines executed on a game controller 301, split the contribution into a number of parts in accordance with the selected ratio. Finally, allocating means, also for example appropriate software routines executed by the game controller 301, allocate at least one of the parts of the contribution to one of the games.

Figure 1 shows a gaming system 101 comprising a number of gaming machines 103 in communication with a system controller 105 via a network 107. The system controller 105 is connected to a display 109. The system controller is provided with a connection 111 to another system controller (not shown). Each gaming machine 103 comprises a screen 115 for displaying the game, which the terminal 103 offers, and a set of player controls 117 through which a player (not shown) inputs their choices in the running of the game. Each gaming machine has a payment port 119 such as a coin slot or electronic card reader to enable the player to pay for the game to be played.

In return for a player submitting a suitable payment via the payment port 119 the gaming machine 103 enables the player to play a game of chance. The game may result in the player winning a prize. The likelihood of a gaming machine 103 awarding a prize for a particular game play is determined by the design of the game. The game is designed to pay out in prizes a percentage of what players pay in over a predetermined number of game plays, i.e. the Return To Player percentage (RTP%).

In the arrangement of Figure 1, players are able to participate in two games that are linked. The first game is provided by the gaming machines 103 as described above, and the jackpot controller 105 provides a second game. The second game is a communal jackpot built up from contributions from each of the gaming machines 103.

The jackpot is incremented towards an upper limit by the value of each contribution as it is received from the gaming machines 103 via the network 107. The jackpot controller 105 uses the display 109 to show the current value of the jackpot to the players of the gaming machines 103. The jackpot controller 105 is arranged to award the jackpot prize when the jackpot value increments over an undisclosed threshold. The threshold is set randomly or pseudo randomly on initialization of the system controller 105 or after the system controller 105 is reset in response to the awarding of a previous jackpot.

Since the first game provided by the gaming machines 103 is linked to the second game provided by the game controller 105, the RTP% (which can be described as the money held aside from a player's payment to pay out prizes) is split between the first and second games. Each gaming machine 103 is arranged to split the RTP% from a game play in accordance with a predetermined percentage. The proportion of the RTP% that is allocated to the second game is communicated to the jackpot controller 105 via the network 107. This is the contribution referred to above that the jackpot controller 105 uses to increment the jackpot value. The jackpot is incremented by the value of the contribution i.e. the value of the wager multiplied by the RTP% allocated to the second game.

In prior art gaming systems the proportions used to split the RTP% between linked games has been under the control of the proprietors or controllers of the gaming system 1. Table 1 below sets out examples of the options available in such systems to vary the split of RTP% between games.

Option	First Game RTP%	Second Game RTP%	Total/Combined RTP%
1	= 86.5%	= 4%	90.5%
2	= 87.5%	= 3%	90.5%
3	= 88.5%	= 2%	90.5%
4	= 90.5%	= 0%	90.5%

Table 1

In the present embodiment, the player is provided with the option to vary the split of the RTP% between the first and second games. As shown in table 1 above, four options are available in which the split of RTP% between the first game and the second game varies. As shown in the fourth column, the total RTP% (i.e. the

- 7 -

combination of the RTP% for the first and second games) remains constant over the four options at 90.5%. Option 1 has the highest RTP% allocated to the second game (4%). Options 2 and 3 have 3% and 2% respectively. Option 4 effectively switches off the splitting mechanism by allocating 0% from the total RTP% to the second
5 game.

For example, if a player pays \$0.5 for a game and chooses option 1 from table 1 then the overall proportion of that sum that will statistically ultimately be returned to the player is 45.25 cents (and the same for the other three options). However with option 1, 43.25 cents of this will contribute to the prizes paid out for the first game
10 and 2 cents will be communicated to the second game. In response to this communication, the second game jackpot prize will be incremented by 2 cents. If the second or third option is chosen then the first game would receive 43.73 cents or 44.25 cents and the second game would receive 1 cent or 1.5 cents respectively. If the player chooses option 4 the first game receives 45.25 cents and the second game
15 receives nothing.

The four split options are available to the player via the control panel 117 of the gaming machine 103 shown in Figure 1. Figure 2 shows the relevant part of the control panel 117 in further detail which is located adjacent a button 201 arranged to start each game play. This part 117 of the control panel is referred to as the split
20 control 203. The split control comprises a first "Maximum Split" button 205, a second "High Split" button 207, a third "Low Split" button 209 and a fourth "No split" button 211. The split control 203 is provided for use prior to each game play at the option of the player. The "Maximum Split" button 205 selects option 1 from table 1, the "High Split" button 207 selects option 2, the "Low Split" button 209 selects
25 option 3 and the "No split" button 211 selects option 4. The split controller 203 also comprises an information panel 213 arranged to provide information to the player relating to the split of the RTP% between the first and second games for each option selectable via the buttons 205, 207, 209, 211.

Returning to Figure 3, this figure illustrates schematically some of the
30 functionality of the gaming machine 103 and the jackpot controller 105. In one embodiment, this functionality is provided by hardware. The split control 203 is connected to a first game controller 301 which is in turn connected to a revenue input

- 8 -

device 303 and a first accumulator 305. The game controller 301 is also connected via the network 107 to a second game controller 307 in the jackpot controller 105. The game controller 307 is also connected to a second accumulator 309, which is in turn connected to the display 109 (not shown).

5 The revenue input device 303 is operable to accept monetary input from a player in the form of coins or notes, tokens, payment card or other suitable form of payment. The revenue input device 303 indicates the amount of the payment to the game controller 301, which responds by adding the input value to the accumulator 305. The accumulator is used to store input values and log them against output prizes.

10 The game controller 301 is the element in the gaming machine that actually runs the first game in response to player commands input via the control panel 117 (Figure 1). The game controller also controls the paying out of prizes as they are won and communicates the split of the RTP to the second game controller 307. This communication also includes data that identifies to the second game controller 307

15 which of the gaming machines 103 has provided a given contribution to the second game. The first game controller 301 is also responsive to signals from the split control panel 203 to modify the RTP% split between the first and second games.

 The second game controller 307 responds to the signals from the first game controller by adding the indicated contribution to the accumulator 309 and updating

20 the display 109 (Figure 1) with the revised jackpot value. The second game controller 307 is the element of the jackpot controller 105 that runs the second game. In other words, the game controller 307 sets the undisclosed threshold value at which the jackpot will be paid out; receives signals from the gaming machines; and updates the accumulator 309 and the display 109 appropriately. The game controller 307

25 handles prize payout when a received RTP% split value added to the accumulator 309 causes the jackpot to meet or exceed the payout threshold. When this occurs, the game controller 307 identifies which of the gaming machines 103 triggered the jackpot and sends a signal to the identified machine. The first game controller 301 of the identified gaming machine 103 responds to this signal by indicating to the player

30 that the jackpot has been awarded and by paying out the jackpot amount. When a jackpot is awarded, the second game controller 307 resets the jackpot value and generates a new payout threshold before receiving further signals from the gaming

- 9 -

machines 103 and incrementing the jackpot value in the accumulator 309 accordingly.

The operating process of one of the gaming machines 103 will now be described with reference to the flow chart of Figure 4. The gaming machine initializes at step 400, for example when the gaming machine is switched on or reset. A player
5 inputs some monetary value at step 401, at which point processing moves to step 403. At step 403, the split control is reset to the default level of "No Split" and the corresponding button 211 displays this fact in the split control 203, for example by being illuminated. Processing then moves to step 405 where the player is prompted to change the split-level using the split control 203. If the player chooses an alternative
10 split level then processing moves to step 407 at which the game controller 301 updates its RTP% split parameters in accordance with the input from the player and processing returns to step 405. If at step 405 no change in the RTP split is input and instead the start button 201 is actuated then processing moves to step 409.

At step 409 the gaming controller starts the game play sequence and while the
15 game is in progress processing continues to step 411. At step 411 the accumulator is updated with the contribution paid by the player for the game in progress and processing moves to step 413. At step 413 the gaming controller extracts from the accumulator the appropriate value of the split RTP% for the second game in accordance with the split parameters determined in step 407 above. This value is then
20 signalled to the second game controller in combination with an indication of the identity of the current gaming machine. Processing then moves to step 415 where it is determined whether a jackpot prize is due in response to any return signal from the second game controller 307. If a prize is due then processing moves to step 417 where the second game prize is paid and process then moves to step 419. If no prize
25 signal arrives from the second gaming controller 301 before the end of the game play of the first game then processing moves from step 415 to step 419.

At step 419 it is determined whether a prize is due as a result of the end sequence of the current first game play. If a prize is due then processing moves to step 421 where the prize for the first game is paid and the process moves to step 423.
30 At step 423 the accumulator 305 is updated to take into account the prize paid out. If no prize results from the game play then processing moves straight from step 419 to step 425.

- 10 -

At step 425, the gaming controller 301 establishes whether sufficient credit remains for a further game play and if not processing moves to step 401 where the player is prompted to input more credit. If at step 425 sufficient credit remains then processing moves to step 405 and continues as described above for that step.

5 Embodiments of the invention provide an element of control to the player by enabling them to change stakes in response to the perceived attractiveness of the second game relative to the first. This is an advantage to both the player and operator of the gaming system. The player has more control over the game they are playing and is able strategically to modify the proportion of the split. The higher the split to
10 the second game, the higher the player's chance of winning the jackpot. Similarly, if the player may choose to increase their chance of winning in the first game, perhaps preferring smaller wins instead of a chance of winning the larger jackpot.

As a post-manufacture addition to a gaming system, embodiments of the present invention may extend the life of a gaming machine. Furthermore, use of the
15 system embodying the invention and observation of player behavior provide the operator with a better understanding of the players' preferences and performances enabling improved marketing and design of future gaming systems.

In the embodiment described above the player is provided with four options for the RTP% split. In a further embodiment, the player is provided with a choice of
20 splitting the RTP% in any proportion they wish. In another embodiment, the gaming machines are arranged to allow the player to set a random variation of the RTP% split over a ranges of games. In yet a further embodiment the gaming machine is provided with a system to prompt the player to increase the split to the jackpot game when the jackpot reaches a predetermined level. In this embodiment the level could be set by
25 the player or determined by the gaming machine in accordance with a set of predetermined rules. Similarly, the gaming machine could be set by the player to reduce the split to the second game when a certain jackpot level has been reached.

In some embodiments the player is provided with a choice of one of a number of linked or jackpot games to play in conjunction with the first game. The player
30 indicates their choice prior to each sequence of game play or game plays.

In some embodiments, it may be advantageous to enable the player to modify the overall RTP%. In further embodiments the player may be provided with choice

from a plurality of sets of variations to the RTP% split. Alternatively, different sets of RTP% split choices could be offered in accordance to different conditions such as the time of day, the state of the current jackpot, the occupancy of a gaming establishment or gaming machine usage (predicted or actual).

5 In some embodiments of the invention, the split control panel may be modified from the form described above. The panel may be positioned at various locations relative to the gaming machine. The buttons may be arranged to enable the player to select a variable RTP% split using a slider control or by inputting a number via a keyboard or dial arrangement. Also, the RTP% split could be designed to reset to a
10 particular split option after each game and the player provided with a hold button, which would keep the split choice from a previous game for use in subsequent games. In some cases, rather than the RTP% split being reset when new credit is added as described above, the system may be arranged to reset after a predetermined period of non-play.

15 Other embodiments of the present invention may provide for a player to personalize their RTP% split control setting and allow these settings to be retrieved on a subsequent use of a gaming machine or transferred to another machine. Further embodiments of the present invention may provide a control panel in which the selection of the RTP% split and start command are combined into one action i.e. there
20 is no start button but split control button also starts the game.

In further embodiments, the indication of the present RTP% split or available RTP% splits may include or consist of an indication of the respective RTP splits given a particular wager.

25 In further embodiments, the information panel of the split controller may be provided separately from the panel itself or absent. The information panel may be arranged to reveal or "pop up" when requested by a player. The control panel may be provided using any combination of traditional switches and displays or touch screens and so called "soft buttons". The gaming system may be provided purely by software. The hardware block arrangements and software steps used in the above
30 description and respective Figures may be varied to suit different applications. The functionally described hardware blocks and software steps may be joined, split or modified. The split control feature may be provided as a software and/or hardware

- 12 -

upgrade to the design of existing gaming machines.

It will be understood by those skilled in the art that the apparatus that embodies a part or all of the present invention may be a general purpose device having software arranged to provide a part or all of an embodiment of the invention. The
5 device could be single device or a group of devices and the software could be a single program or a set of programs. Furthermore, any or all of the software used to implement the invention can be communicated via various transmission or storage means such as computer network, floppy disc, CD-Rom or magnetic tape so that the software can be loaded onto one or more devices.

10 Although the invention has been described with reference to specific embodiments, it will be appreciated by those skilled in the art that it may be embodied in other forms.

CLAIMS

1. A method for allocating a player's contribution in a gaming apparatus between a plurality of games, the method comprising the steps of:
 - a) receiving a contribution from a player of the gaming apparatus;
 - 5 b) selecting an allocation ratio in response to an input by the player;
 - c) splitting the contribution into a number of parts in accordance with the selected ratio; and
 - d) allocating at least one of the parts of the contribution to one of the games.
2. A method according to claim 1 in which, in step c) the contribution is split into
10 two parts and, in step d), each part is allocated to a respective game.
3. A method according to claim 1 in which the ratio is selected from a set of predetermined ratios.
4. A method according to claim 3 wherein the set of ratios comprises a full range of possible ratios.
- 15 5. A method according to claim 3 wherein the set of ratios is pre-selected from group of such sets.
6. A method according to claim 3 in which the set is varied in response to one or more predetermined conditions such as the time of day, the current state of play of a given game, or the current gaming activity within a particular gaming environment.
- 20 7. A method according to claim 3 in which the set of predetermined ratios are varied in a random or pseudo random manner.
8. A method according to claim 1 in which each of the plurality of games is provided by a respective gaming device.
9. A method according to claim 1 in which the plurality of games are provided by
25 the same gaming device.

- 14 -

10. Apparatus for allocating a player's contribution in a gaming apparatus between a plurality of games, the method comprising the steps of:
- a) input means for receiving a contribution from a player of the gaming apparatus;
 - 5 b) selection means operable by the player to select an allocation ratio;
 - c) splitting means for splitting the contribution into a number of parts in accordance with the selected ratio; and
 - d) allocating means for allocating at least one of the parts of the contribution to one of the games.
- 10 11. Apparatus according to claim 10 in which, the splitting means is further operable to split the contribution into two parts and, the allocating means is further operable to allocate each part to a respective game.
12. Apparatus according to claim 10 in which the ratio is selected from a set of predetermined ratios.
- 15 13. Apparatus according to claim 12 in which the set of ratios comprises a full range of possible ratios.
14. Apparatus according to claim 12 in which the set of ratios available for selection by the player is pre-selected from group of such sets.
15. Apparatus according to claim 12 in which the set is varied in response to one
20 or more predetermined conditions such as the time of day, the current state of play of a given game, or the current gaming activity within a particular gaming environment.
16. Apparatus according to claim 12 in which the set of predetermined ratios are varied in a random or pseudo random manner.
17. Apparatus according to claim 10 in which each of the plurality of games is
25 provided by a respective gaming device.
18. Apparatus according to claim 10 in which the plurality of games are provided by the same gaming device.

- 15 -

19. Apparatus for enabling a player of a gaming machine to control the distribution of the player's contribution to a game, the apparatus comprising:
a display operable to indicate a set of possible distributions to the player;
at least one control means operable by the player to indicate a choice of one of
5 the distributions,
communication means for communicating the player's choice to the gaming machine.
20. Apparatus according to claim 19 in which the distribution is between a plurality of games.
- 10 21. Apparatus according to claim 20 in which the games are provided by respective gaming devices.
22. Apparatus according to any of claims 19 to 21 in which the control means is operable to select a distribution from a full range of possible distributions.
23. Apparatus according to any of claims 19 to 22 in which the set of distributions
15 is pre-selected from a group of such sets.
24. Apparatus according to claim 23 in which the group of sets available for selection is determined in accordance with one or more predetermined conditions such as the time of day, the current state of play of a given game, or the current gaming activity within a particular gaming environment.
- 20 25. Apparatus according to any of claims 19 to 24 in which the control means is provided by a dial, push buttons or a slider control.
26. Apparatus according to claim any of claims 19 to 25 in which the control means is operable to select the distribution and to start the respective game.
27. Apparatus according to any of claims 19 to 25 in which the control means is
25 operable by the player to hold the selected distribution for a given game for use in a subsequent game or games.

- 16 -

28. Apparatus according to any of claims 19 to 27 in which the control means is operable to prompt the player to select a distribution for each game played.

29. A method of allocating a player's contribution in a gaming apparatus between a plurality of games substantially as herein described with reference to the
5 accompanying drawings.

30. Apparatus for allocating a player's contribution in a gaming apparatus between a plurality of games substantially as herein described with reference to the accompanying drawings.

31. Apparatus for enabling a player of a gaming machine to control the
10 distribution of the player's contribution to a game substantially as herein described with reference to the accompanying drawings.

1/4




Figure 1

2/4




Figure 2

3/4




Figure 3




Figure 4

INTERNATIONAL SEARCH REPORT

International application No.
PCT/AU2005/000668

A. CLASSIFICATION OF SUBJECT MATTER Int. Cl. ⁷ : A63F 13/12 According to International Patent Classification (IPC) or to both national classification and IPC					
B. FIELDS SEARCHED Minimum documentation searched (classification system followed by classification symbols) Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WPAT: IPC Mark, Keywords-split, part, ratio, plural?, multiple, gaming, poker machine, contribution					
C. DOCUMENTS CONSIDERED TO BE RELEVANT					
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.			
A X	US 6 283 855 A (BINGHAM) 4 September 2001. Entire document	1-18, 29, 30 19-28, 31			
A X	US 6 656 048 A (OLSEN) 2 December 2003 Entire document	1-18, 29, 30 19-28, 31			
A X	US 2003/0036429 A (ARISTROCAT TECHNOLOGIES AU) 20 February 2003 Entire document	1-18, 29, 30 19-28, 31			
<input type="checkbox"/> Further documents are listed in the continuation of Box C <input checked="" type="checkbox"/> See patent family annex					
<table style="width: 100%; border: none;"> <tr> <td style="width: 33%; border: none;"> * Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed </td> <td style="width: 33%; border: none;"> "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family </td> <td style="width: 33%; border: none;"></td> </tr> </table>			* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family	
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family				
Date of the actual completion of the international search 21 July 2005	Date of mailing of the international search report 29 JUL 2005				
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTRALIA E-mail address: pct@ipaustrialia.gov.au Facsimile No. (02) 6285 3929	Authorized officer JYOTI SHAMDASANI Telephone No : (02) 6283 2836				

INTERNATIONAL SEARCH REPORT

Information on patent family members

International application No.

PCT/AU2005/000668

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report	Patent Family Member			
US 6283855				
US 6656048	AU 62537/99	CA 2343944	US 6217448	
	US 2001004607	US 2004102243	WO 0017825	
US 20030036429	AU 76106/01	NZ 514498	ZA 200108131	
Due to data integration issues this family listing may not include 10 digit Australian applications filed since May 2001.				
END OF ANNEX				